E	Berberis buxifolia		Answer	Score
1.01 ls	s the species highly domesticated? (If answer is 'no' then go to question 2.01)	y=-3, n=0	n	0
	las the species become naturalized where grown?	y= 1, n=-1		
1.03 D	Does the species have weedy races?	y=1, n=-1		
2.01 S	Species suited to tropical or subtropical climate(s) (0-low; 1-intermediate; 2-high) – If island	See Apper	0	
	Quality of climate match data (0-low; 1-intermediate; 2-high) see appendix 2		2	
	Broad climate suitability (environmental versatility)	y=1, n=0	У	1
	lative or naturalized in regions with tropical or subtropical climates	y=1, n=0	n	0
	Does the species have a history of repeated introductions outside its natural range? y=-2	?=-1, n=0	У	
	laturalized beyond native range y = 1*multiplier (see Append 2), n= question 2.05		ý	0.5
	Garden/amenity/disturbance weed y = 1*multiplier (see Append 2)	n=0	,	
	Agricultural/forestry/horticultural weed y = 2*multiplier (see Append 2)	n=0		
	Environmental weed $y = 2^*$ multiplier (see Append 2)	n=0	У	1
	Congeneric weed $y = 1$ *multiplier (see Append 2)	n=0	J	•
	Produces spines, thorns or burrs	y=1, n=0	У	1
	Ilelopathic	y=1, n=0	y	•
	Parasitic	y=1, n=0	n	0
	Inpalatable to grazing animals	y=1, n=0 y=1, n=-1		U
	oxic to animals	y=1, n=0		
	lost for recognized pests and pathogens	y=1, n=0 y=1, n=0		
	Causes allergies or is otherwise toxic to humans		n	0
		y=1, n=0	n	0
	Creates a fire hazard in natural ecosystems	y=1, n=0		4
	s a shade tolerant plant at some stage of its life cycle	y=1, n=0	У	1
	olerates a wide range of soil conditions (or limestone conditions if not a volcanic island)	y=1, n=0	У	1
	Climbing or smothering growth habit	y=1, n=0	n	0
	Forms dense thickets	y=1, n=0		_
5.01 A	-	y=5, n=0	n	0
5.02 G		y=1, n=0	n	0
	litrogen fixing woody plant	y=1, n=0	n	0
	Geophyte (herbaceous with underground storage organs bulbs, corms, or tubers)	y=1, n=0	n	0
	vidence of substantial reproductive failure in native habitat	y=1, n=0	n	0
	Produces viable seed.	y=1, n=-1	У	1
	lybridizes naturally	y=1, n=-1		
	Self-compatible or apomictic	y=1, n=-1	У	1
	Requires specialist pollinators	y=-1, n=0	n	0
	Reproduction by vegetative fragmentation	y=1, n=-1		
	<i>I</i> inimum generative time (years) 1 year = 1, 2 or 3 years = 0, 4+ years = -1	See left	2	0
	Propagules likely to be dispersed unintentionally (plants growing in heavily trafficked areas			
	Propagules dispersed intentionally by people	y=1, n=-1	У	1
	Propagules likely to disperse as a produce contaminant	y=1, n=-1		
	Propagules adapted to wind dispersal	y=1, n=-1	n	-1
7.05 P	Propagules water dispersed	y=1, n=-1	n	-1
7.06 P	Propagules bird dispersed	y=1, n=-1	У	1
	Propagules dispersed by other animals (externally)	y=1, n=-1	n	-1
7.08 P	Propagules survive passage through the gut	y=1, n=-1	У	1
8.01 P	Prolific seed production (>1000/m2)	y=1, n=-1		
	vidence that a persistent propagule bank is formed (>1 yr)	y=1, n=-1		
	Vell controlled by herbicides	y=-1, n=1	у	-1
	olerates, or benefits from, mutilation, cultivation, or fire	y=1, n=-1	ý	1
	ffective natural enemies present locally (e.g. introduced biocontrol agents)	y=-1, n=1	2	
	otal score:			7.5